

### Product Datasheet model sportstyle 9193 280



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,  
D-90766 Fürth**

|                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product characteristics</b>                                                     | <ul style="list-style-type: none"> <li>• feather-light safety spectacles with a sporty design</li> <li>• optimal vision thanks to the shape of the uvex lens, with scratch-resistant coating on the outside and anti-fog coating on the inside</li> <li>• soft, adjustable nose piece and soft, non-slip ear pieces (uvex duo component technology) ensure a secure, pressure-free fit</li> </ul> |
| <b>Technical details</b><br><br><b>Frame</b><br><br>Material<br>Features<br>Colour | <b>Front piece</b><br>PC-PBT / TPE<br>individually adjustable nose pad<br>white                                                                                                                                                                                                                                                                                                                   |

|                                                             |                                      |
|-------------------------------------------------------------|--------------------------------------|
| Material                                                    | <b>Temples</b>                       |
| Colour                                                      | PC-PBT / TPE<br>white/black          |
| Manufacturer's ID code                                      | <b>Marking</b><br>W                  |
| Applicable EN norm                                          | 166                                  |
| Impact resistance                                           | F (45 m/s)                           |
| Resistance to high speed particles at extremes of temperat. | T                                    |
| Conformity symbol                                           | CE                                   |
| <b>Lens</b>                                                 |                                      |
| Material                                                    | PC                                   |
| Thickness                                                   | 2,1 mm                               |
| Coating                                                     | uvex supravision extreme             |
| Colour                                                      | grey                                 |
| Filter                                                      | <b>Marking</b><br>5-2,5 (DIN EN 172) |
| Manufacturer's ID code                                      | W                                    |
| Optical class                                               | 1                                    |
| Impact resistance                                           | F (45 m/s)                           |
| Resistance to high speed particles at extremes of temperat. | T                                    |
| Surface resistance to fine particles                        | K                                    |
| Antifog                                                     | N                                    |
| Conformity symbol                                           | CE                                   |

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| <b>Miscellaneous</b> |                                                          |
| Weight               | 23 g                                                     |
| Packing              | 5 spectacles per box<br>160 spectacles per cardboard box |
| Standards            | DIN EN 166 + DIN EN 172                                  |